

技术数据 Technical Data

Type		Output		At full load				Is/In	Ts/Tn	Tmax/Tn	Noise	Weight
		KW	HP	Speed	Current	Efficiency	Power factor				LwdB(A)	
				r/min	A	%	COSΦ					
POLES: 2 FREQUENCY: 50HZ SYNCHRONOUS SPEED: 3000R/MIN												
HMM	56M1	0.09	0.12	2750	0.32	62.0	0.70	5.2	2.1	2.2	58	3.6
HMM	56M2	0.12	0.18	2750	0.38	67.0	0.72	5.2	2.1	2.2	58	3.9
HMM	63M1	0.18	0.25	2730	0.5	65.3	0.80	5.5	2.2	2.2	63	5.0
HMM	63M2	0.25	0.37	2800	0.7	68.3	0.81	5.5	2.2	2.2	63	5.4
HMM	71M1	0.37	0.50	2756	1.0	70.3	0.81	6.1	2.2	2.2	66	7.8
HMM	71M2	0.55	0.75	2792	1.4	73.4	0.82	6.1	2.2	2.3	66	10.0
HMM	80M1	0.75	1.00	2830	1.8	75.3	0.83	6.1	2.2	2.3	69	16.0
HMM	80M2	1.10	1.50	2830	2.6	77.3	0.84	7.0	2.2	2.3	69	17.0
HMM	90S	1.50	2	2840	3.4	79.3	0.84	7.0	2.2	2.3	74	22.0
HMM	90L	2.20	3	2840	4.8	81.4	0.85	7.0	2.2	2.3	74	25.0
HMM	100L	3.00	4	2860	6.3	83.3	0.87	7.5	2.2	2.3	78	33.0
HMM	112M	4.00	5.5	2880	8.0	85.3	0.88	7.5	2.2	2.3	79	45.0
HMM	132S1	5.50	7.5	2900	1.0	86.3	0.88	7.5	2.2	2.3	82	64.0
HMM	132S2	7.50	10	2900	14.8	87.4	0.88	7.5	2.2	2.3	82	70.0
HMM	160M1	11.00	15	2930	21.3	88.4	0.89	7.5	2.2	2.3	88	117.0
HMM	160M2	15.00	20	2930	28.7	89.4	0.89	7.5	2.2	2.3	88	125.0
HMM	160L	18.50	25	2930	34.6	90.4	0.90	7.5	2.2	2.3	88	147.0
HMM	180M	22.00	30	2940	40.8	91.0	0.90	7.5	2.0	2.3	91	180.0
HMM	200L1	30.00	40	2950	55.3	91.6	0.90	7.5	2.0	2.3	94	240.0
HMM	200L2	37.00	50	2950	67.6	92.4	0.90	7.5	2.0	2.3	94	255.0
HMM	225M	45.00	60	2970	82.0	92.7	0.90	7.5	2.0	2.3	94	309.0
HMM	250M	55.00	75	2970	99.9	93.0	0.90	7.5	2.0	2.3	95	403.0
HMM	280S	75.00	100	2970	35.6	93.4	0.90	7.5	2.0	2.3	96	544.0
HMM	280M	90.00	120	2970	159.6	94.2	0.91	7.5	2.0	2.3	96	620.0
HMM	315S	110.00	150	2980	194.6	94.4	0.91	7.1	1.8	2.2	98	980.0
HMM	315M	132.00	180	2980	232.1	95.0	0.91	7.1	1.8	2.2	98	1080.0
HMM	315L1	160.00	215	2980	278.2	95.0	0.92	7.1	1.8	2.2	101	1160.0
HMM	315L2	200.00	270	2980	347.0	95.2	0.92	7.1	1.8	2.2	101	1190.0
HMM	355M	250.00	335	2980	43.5	95.7	0.92	7.1	1.6	2.2	105	1760.0
HMM	355L	315.00	420	2980	541.5	96.1	0.92	7.1	1.6	2.2	105	1850.0
POLES: 4 FREQUENCY: 50HZ SYNCHRONOUS SPEED: 1500R/MIN												
HMM	56M1	0.06	0.08	1325	0.28	56.0	0.58	3.9	2.0	2.1	48	3.6
HMM	56M2	0.09	0.12	1325	0.39	58.0	0.61	3.9	2.0	2.1	48	3.9
HMM	631	0.12	0.16	1320	0.40	57.2	0.72	4.2	2.1	2.2	57	5.2
HMM	632	0.18	0.25	1320	0.60	60.2	0.73	4.2	2.1	2.2	57	5.5
HMM	711	0.25	0.37	1347	0.80	65.3	0.74	5.0	2.1	2.2	60	7.0
HMM	712	0.37	0.50	1340	1.10	67.3	0.75	5.0	2.1	2.2	60	7.5
HMM	801	0.55	0.75	1390	1.60	71.2	0.75	5.0	2.4	2.3	63	17.0
HMM	802	0.75	1.00	1390	2.00	73.3	0.76	6.0	2.3	2.3	63	18.0
HMM	90S	1.10	1.50	1390	2.90	75.3	0.77	6.0	2.3	2.3	66	22.0
HMM	90L	1.50	2	1390	3.70	78.4	0.79	6.0	2.3	2.3	66	27.0
HMM	100L1	2.20	3	1410	5.10	80.2	0.81	6.0	2.3	2.3	69	34.0
HMM	100L2	3.00	4	1410	6.80	82.3	0.82	7.0	2.3	2.3	69	38.0
HMM	112M	4.00	5.5	1435	8.80	84.3	0.82	7.0	2.3	2.3	70	43.0
HMM	132S	5.50	7.5	1440	11.80	85.4	0.83	7.0	2.3	2.3	76	68.0
HMM	132M	7.50	10	1440	15.50	87.3	0.84	7.0	2.3	2.3	76	81.0
HMM	160M	11.00	15	1460	22.50	88.4	0.84	7.0	2.2	2.3	80	123.0
HMM	160L	15.00	20	1460	30.00	89.4	0.85	8.0	2.2	2.3	79	144.0
HMM	180M	18.50	25	1470	35.90	91.0	0.86	8.0	2.2	2.3	80	182.0
HMM	180L	22.00	30	1470	42.60	91.3	0.86	8.0	2.2	2.3	80	190.0
HMM	200L	30.00	40	1470	57.40	92.4	0.86	7.0	2.2	2.3	83	270.0
HMM	225S	37.00	50	1480	69.30	92.9	0.87	7.0	2.2	2.3	85	284.0

HMM	225M	45.00	60	1480	84.30	93.3	0.87	7.0	2.2	2.3	84	320.0
HMM	250M	55.00	75	1480	103.00	93.3	0.87	7.0	2.2	2.3	86	427.0
HMM	280S	75.00	100	1480	139.10	94.2	0.87	7.0	2.2	2.3	89	562.0
HMM	280M	90.00	120	1480	166.20	94.6	0.87	7.0	2.2	2.3	89	667.0
HMM	315S	110.00	150	1490	200.00	95.0	0.88	7.0	2.1	2.2	96	1000.0
HMM	315M	132.00	180	1490	239.70	95.1	0.88	7.0	2.1	2.2	96	1100.0
HMM	315L1	160.00	215	1490	286.70	95.3	0.89	7.0	2.1	2.2	100	1160.0
HMM	315L2	200.00	270	1490	358.00	95.4	0.89	7.0	2.1	2.2	100	1270.0
HMM	355M2	250.00	335	1490	440.70	95.8	0.90	7.0	2.1	2.2	104	1700.0
HMM	355L2	315.00	420	1490	554.60	95.9	0.90	7.0	2.1	2.2	104	1850.0
POLES: 6 FREQUENCY: 50HZ SYNCHRONOUS SPEED: 1000R/MIN												
HMM	711	0.18	0.25	865	0.70	56.3	0.66	4.0	1.9	2.0	59	7.0
HMM	712	0.25	0.37	863	0.90	59.4	0.68	4.0	1.9	2.0	59	7.5
HMM	801	0.37	0.50	890	1.30	62.4	0.70	4.7	1.9	2.0	61	17.0
HMM	802	0.55	0.75	890	1.80	65.3	0.72	4.7	1.9	2.1	61	19.0
HMM	90S	0.75	1.00	910	2.30	69.4	0.72	5.5	2.0	2.1	64	23.0
HMM	90L	1.10	1.50	910	3.20	72.3	0.73	5.5	2.0	2.1	64	25.0
HMM	100L	1.50	2	920	4.00	76.4	0.75	5.5	2.0	2.1	68	33.0
HMM	112M	2.20	3	935	5.50	79.3	0.76	6.5	2.0	2.1	72	45.0
HMM	132S	3.00	4	960	7.40	81.3	0.76	6.5	2.1	2.1	76	63.0
HMM	132M1	4.00	5.5	960	9.70	82.5	0.76	6.5	2.1	2.1	76	73.0
HMM	132M ₂	5.50	7.5	960	12.90	84.4	0.77	6.5	2.1	2.1	76	84.0
HMM	160M	7.50	10	970	17.10	86.3	0.77	6.5	2.0	2.1	80	119.0
HMM	160L	11.00	15	970	24.40	87.8	0.78	6.5	2.0	2.1	80	147.0
HMM	180L	15.00	20	970	31.50	89.2	0.81	7.0	2.0	2.1	79	195.0
HMM	200L1	18.50	25	970	38.40	90.3	0.81	7.0	2.1	2.1	82	220.0
HMM	200L2	22.00	30	970	44.50	90.4	0.83	7.0	2.1	2.1	82	250.0
HMM	225M	30.00	40	980	59.10	91.8	0.80	7.0	2.0	2.1	82	292.0
HMM	250M	37.00	50	980	70.80	92.3	0.86	7.0	2.1	2.1	84	408.0
HMM	280S	45.00	60	980	85.70	92.8	0.86	7.0	2.1	2.0	85	536.0
HMM	280M	55.00	75	980	104.30	93.2	0.86	7.0	2.1	2.0	85	595.0
HMM	315S	75.00	100	990	141.30	93.8	0.86	7.0	2.0	2.0	90	990.0
HMM	315M	90.00	120	990	168.80	94.2	0.86	7.0	2.0	2.0	90	1080.0
HMM	315L1	110.00	150	990	206.10	94.3	0.86	6.7	2.0	2.0	90	1150.0
HMM	315L2	132.00	180	990	243.90	94.5	0.87	6.7	2.0	2.0	89	1210.0
HMM	355M1	160.00	215	990	290.80	95.0	0.88	6.7	1.9	2.0	96	1600.0
HMM	355M2	200.00	270	990	363.10	95.1	0.88	6.7	1.9	2.0	96	1700.0
HMM	355L	250.00	335	990	452.90	95.3	0.88	6.7	1.9	2.0	96	1800.0
POLES: 8 FREQUENCY: 50HZ SYNCHRONOUS SPEED: 750R/MIN												
HMM	100L1	0.75	1.00	690	2.40	71.2	0.67	4.0	1.8	2.0	67	33.0
HMM	100L2	1.10	1.50	690	3.30	73.2	0.69	5.0	1.8	2.0	67	38.0
HMM	112M	1.50	2	680	4.40	75.3	0.69	5.0	1.8	2.0	69	50.0
HMM	132S	2.20	3	710	6.00	78.4	0.71	6.0	1.8	2.0	72	63.0
HMM	132M	3.00	4	710	7.90	79.2	0.73	6.0	1.8	2.0	72	79.0
HMM	160M1	4.00	5.5	720	10.20	81.2	0.73	6.0	1.9	2.0	76	118.0
HMM	160M2	5.50	7.5	720	13.60	83.3	0.74	6.0	2.0	2.0	76	119.0
HMM	160L	7.50	10	720	17.70	85.9	0.75	6.0	2.0	2.0	76	145.0
HMM	180L	11.00	15	730	25.10	87.8	0.76	6.6	2.0	2.0	78	184.0
HMM	200L	15.00	20	730	34.00	88.3	0.76	6.6	2.0	2.0	80	750.0
HMM	225S	18.50	25	730	40.90	90.4	0.76	6.6	1.9	2.0	80	266.0
HMM	225M	22.00	30	740	47.10	9.0	0.78	6.6	1.9	2.0	80	292.0
HMM	250M	30.00	40	740	63.20	91.3	0.79	6.6	1.9	2.0	82	405.0
HMM	280S	37.00	50	740	77.50	91.8	0.79	6.6	1.9	2.0	83	520.0
HMM	280M	45.00	60	740	93.70	92.4	0.79	6.6	1.9	2.0	82	592.0
HMM	315S	55.00	75	740	110.60	93.3	0.81	6.6	1.8	2.0	88	1000.0
HMM	315M	75.00	100	740	150.80	93.3	0.81	6.6	1.8	2.0	88	1100.0
HMM	315L1	90.00	120	740	177.30	94.1	0.82	6.6	1.8	2.0	88	1160.0
HMM	315L2	110.00	150	740	216.00	94.4	0.82	6.4	1.8	2.0	88	1230.0
HMM	355M1	132.00	180	740	259.70	94.2	0.82	6.4	1.8	2.0	95	1600.0

HMM	355M2	160.00	215	740	313.80	94.5	0.82	6.4	1.8	2.0	95	1700.0
HMM	355L1	200.00	270	740	386.30	94.8	0.83	6.4	1.8	2.0	95	1800.0